# Transient Simulation of the Electrolyte Flow in a Closed Device for Precise Electrochemical Machining

Matthias Hackert-Oschätzchen<sup>1</sup>, Michael Penzel<sup>1</sup>, Michael Kowalick<sup>1</sup>, Gunnar Meichsner<sup>2</sup>, Andreas Schubert<sup>1, 2</sup>

### Precise Electrochemical Machining (PEM)

- Raising the precision of Electrochemical Machining by superimposing an oscillating motion of the tool cathode and pulsed current (Fig. 1)
- Initiation of short current pulse at a predefined working gap (Fig. 1, Pt. II)
- Backwards motion of cathode and transportation of removal products by electrolyte (Fig. 1, Pt. III)
- Developing a model of electrolyte flow according the geometry of a closed device (Fig. 2)

### Model creation

- Derivation of a 2D cuboidal model from the cylindrical flushing chamber -> Geometry dimensions are 48.74 x 20 mm<sup>2</sup> (**Fig. 2 & Fig. 3**)
- Creation of rectangular mesh with maximum element width of 0.2 mm consisting of 22520 elements (Fig. 3)
- Use of the turbulent flow, k-ε interface
- Sequential simulation
  - 1<sup>st</sup> step: stationary simulation of electrolyte flow
  - 2<sup>nd</sup> step: time-dependent simulation of electrolyte flow with superimposed oscillation using results from step 1 for initial values (Fig. 4)
- Depicting the tool electrodes oscillation with timedependent function of velocity (Fig. 5)

$$U_{\text{OSCi}} = \omega \cdot Z_{\text{OSCi}} \cdot \cos(\omega t + \pi/2) \tag{1}$$


Time range of simulation: 0 s to 0.02 s

#### Results

- Straight inflow with max. velocity of 22 m/s and low turbulences at 0.005 s in consequence of fully uplifted electrode (Fig. 6)
- Electrode moved towards workpiece -> formation of vortexes starts near the inlet and extending of turbulences in flushing chamber at 0.01 s (Fig. 7)
- Low fluid velocities and spreading of turbulences in whole flushing chamber at timesteps 4 and 5 → stochastical distribution (Fig. 8 & Fig.9)
- Inflow and outflow velocities decrease due to the back pressure

## Acknowledgements

This project is founded by the Federal Ministry of Economics and Technology, following a decision of the German Bundestag Gefördert durch:



Oscillation f = 50 HzTool electrode unit Flux chamber


48.74

Figure 2. Sectional view of the closed device

Ø 55

Workpiece unit

Figure 3. FEM mesh for the simulation of electrolyte flow








Figure 4. Domain and boundary conditions transient model

Figure 5. Oscillation as a function of the velocity over the time with marked timesteps






Flow velocity [m/s] Timestep 4 20 15 10 -10 -15

**Figure 7.** Velocity field t = 0.01 s Flow velocity [m/s] Timestep 5

**Figure 8.** Velocity field t = 0.015 s





09126 Chemnitz, Germany